





ASSY INFO	MASS (kg):	
	BONDED:	
	FASTENED:	
FINISH	TUMBLED:	
	BRUSHED:	
	POWDER:	
	SPRAY:	
	COLOUR:	N/A

ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	PANEL 12	CANVAS PANEL 1 EXTRA TALL	1
2	PANEL 22	CANVAS PANEL 2 EXTRA TALL	1
3	PANEL 32	CANVAS PANEL 2 EXTRA TALL	1
4	PANEL 42	CANVAS PANEL 4 EXTRA TALL	1
5	BX-ADS	AWNING DROP SIDE - BOX - 630 X 380 X 330 + CORNER SUPPORTS	1
6	FLEXT-L	LARGE FLEXI TIES 11mm x 340mm	30
7	T-PEG	TENT PEG SINGLE ITEM	20

TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE				DESCRIPTION: AWNING SIDES - LHS EXTRA TALL		SHEET: A3		SHEET 1 of 5	
NOM DIMENSION RANGE (mm)				TOLERANCE		SCALE: 1:25			
0.50	-	3.00	± 0.10			DRAWN BY: System Administrator		DATE: 2025-06-10	
3.00	-	6.00	± 0.15			THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD		DRAWING NO. AWN-LHS-SIDE-XT-GA	
6.00	-	30	± 0.20			REV 00			
30	-	120	± 0.30						
120	-	400	± 0.50						
400	-	1000	± 1.00						
1000	-	1000<	± 2.00						




PART INFO	MASS (kg):	
	ORDERING:	
PROCESS INFO	SHEET METAL:	
	LASER CUT:	
OFF THE SHELF:	PUNCHED:	
	MACHINED:	
CNC ROUTING:	WELDED:	
	CUT:	
DRILL / TAP:	TUMBLED:	
	BRUSHED:	
POWDER:	SPRAY:	
	COLOUR:	N/A

TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE			
NOM DIMENSION RANGE (mm)			TOLERANCE
0.50	-	3.00	± 0.10
3.00	-	6.00	± 0.15
6.00	-	30	± 0.20
30	-	120	± 0.30
120	-	400	± 0.50
400	-	1000	± 1.00
1000	-	1000<	± 2.00

MATERIAL DESCRIPTION:				MATERIAL THICKNESS (mm):			
DESCRIPTION: AWNING SIDES - LHS EXTRA TALL PROJECT:				SHEET: A3	SHEET 2 of 5		
				SCALE: 1:25			
		DRAWN BY: System Administrator		DATE: 2025-06-10		DRAWING NO. AWN-LHS-SIDE-XT-GA	REV 00
THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD							






PART INFO	MASS (kg):	
	ORDERING:	
PROCESS INFO	SHEET METAL:	
	LASER CUT:	
OFF THE SHELF:	PUNCHED:	
	MACHINED:	
CNC ROUTING:	WELDED:	
	CUT:	
DRILL / TAP:	TUMBLING:	
	BRUSHED:	
POWDER:	SPRAY:	
	COLOUR:	N/A


TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE			
NOM DIMENSION RANGE (mm)			TOLERANCE
0.50	-	3.00	± 0.10
3.00	-	6.00	± 0.15
6.00	-	30	± 0.20
30	-	120	± 0.30
120	-	400	± 0.50
400	-	1000	± 1.00
1000	-	1000<	± 2.00


MATERIAL DESCRIPTION:		MATERIAL THICKNESS (mm):	
DESCRIPTION:		SHEET: A3	
PROJECT:		SCALE: 1:17	
DRAWN BY: System Administrator		DATE: 2025-06-10	
THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD		DRAWING NO. AWN-LHS-SIDE-XT-GA	
REV 00		SHEET 3 of 5	





PART INFO	MASS (kg):	DOOR
	ORDERING:	
PROCESS INFO	SHEET METAL:	N/A
	LASER CUT:	
	PUNCHED:	
	MACHINED:	
	OFF THE SHELF:	
	CNC ROUTING:	
	WELDING:	
	DRILL / TAP:	
	TUMBLED:	
	BRUSHED:	
	POWDER:	
	SPRAY:	
	COLOUR:	

TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE				MATERIAL DESCRIPTION:					MATERIAL THICKNESS (mm):		
NOM DIMENSION RANGE (mm)		TOLERANCE		DESCRIPTION: AWNING SIDES - LHS EXTRA TALL				SHEET: A3	SHEET 4 of 5	 ULTIMATE OVERLAND PRODUCTS	
PROJECT:						SCALE: 1:17					
0.50	-	3.00	± 0.10	 DRAWN BY: System Administrator DATE: 2025-06-10				DRAWING NO. AWN-LHS-SIDE-XT-GA			REV 00
3.00	-	6.00	± 0.15								
6.00	-	30	± 0.20								
30	-	120	± 0.30								
120	-	400	± 0.50								
400	-	1000	± 1.00								
1000	-	1000<	± 2.00								



PART INFO	MASS (kg):	
	ORDERING:	
PROCESS INFO	SHEET METAL:	
	LASER CUT:	
PROCESS INFO	PUNCHED:	
	MACHINED:	
PROCESS INFO	OFF THE SHELF:	
	CNC ROUTING:	
PROCESS INFO	WELDED:	
	CUT:	
PROCESS INFO	DRILL / TAP:	
	TUMBLER:	
PROCESS INFO	BRUSHED:	
	POWDER:	
PROCESS INFO	SPRAY:	
	COLOUR:	N/A

TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE				MATERIAL DESCRIPTION:					MATERIAL THICKNESS (mm):			
NOM DIMENSION RANGE (mm)		TOLERANCE		DESCRIPTION: AWNING SIDES - LHS EXTRA TALL				SHEET: A3	SHEET 5 of 5	 ULTIMATE OVERLAND PRODUCTS		
PROJECT:						SCALE: 1:17						
0.50	-	3.00	± 0.10			DRAWN BY: System Administrator		DATE: 2025-06-10		DRAWING NO. AWN-LHS-SIDE-XT-GA		REV 00
3.00	-	6.00	± 0.15			THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD						
6.00	-	30	± 0.20									
30	-	120	± 0.30									
120	-	400	± 0.50									
400	-	1000	± 1.00									
1000	-	1000<	± 2.00									

