




**FITMENT INSTRUCTIONS**

**INEOS REAR DOORS INTERIOR MOLLE**

**IG-A-MP-IN-RD**

# Preliminary Information

Installation and fitment instructions including tools required, fasteners included in kit, and the hardware included in kit. Please follow the instructions and check installation actions with the images in this document.



Please note: Not actual doors, for illustration purposes only

Please be sure to lay out all parts provided on a table or flat surface in order to check that all required parts are accounted for and prevent potential frustration at a later stage.

# Installation Instructions

1

Molle Plates Fitment – Tools, Fasteners & Materials The tables below show the equipment, i.e. tools and fasteners required to start the canopy fitment of a **INEOS REAR DOOR INTERIOR MOLLE**

1.1

## Tools & Items Required

TOOL	
Ratchet	Flat Nose Pliers
Hand Drill	Phillips Screwdriver
4mm Allen Key	

1.2

## Fasteners Supplied (included with Molle's)

ITEM	QTY
M6x20 B/HD BOLT S/S	16
FFW-M6	16
SW-M6	16
ADH-PMT	8

Please be sure to lay out all parts provided on a table or flat surface in order to check that all required parts are accounted for and prevent potential frustration at a later stage.

# Installation Instructions

1

Canopy Fitment – Tools, Fasteners & Materials The tables below show the equipment, i.e. tools and fasteners required to start the canopy fitment for a **INEOS REAR DOOR INTERIOR MOLLE**

1.3

## Hardware Required

ITEM	QTY
IG RD INT MP ASSEMBLY LHS	1
IG RD INT MP ASSEMBLY RHS	1

1.4

## Consumables Required



ITEM
Turpentine
Shop Rags
Black sealant, silicone or Sikaflex
Window Cleaner

Please be sure to lay out all parts provided on a table or flat surface in order to check that all required parts are accounted for and prevent potential frustration at a later stage.

# Installation Instructions

2



Keep Molle Plate centered within the window area and with a marker draw a line or make a dot of where the bracket mounting holes will be. Or use masking tape all around the window plastic trim before your markings.



# Installation Instructions

4 off bracket assemblies per Molle Plate. Remove the glue cover on the DOUBLE SIDED TAPE and clean the window plastic trim before plucking the brackets into position (See Slide 7)


3



# Installation Instructions

4



Clean the window plastic trim with the Adhesion Promoter (wet wipe) where all 4 brackets will be plucked into position. Brackets plucked as close to the window as shown below.



# Installation Instructions

Use the markings that you made earlier as a guideline of where to pluck your brackets to the window plastic trim.


5



# Installation Instructions

Use the specified fasteners to mount the Molle Plates to the brackets.


6



# Installation Instructions

7

Molle Plates fully assembled to the Rear Doors.



# Disclaimer

---



All rights reserved. No part of this website may be reproduced, translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the owner.

## **Review all instructions information carefully before installation.**

Any damages, direct or incidental to the installer and/or property due to incorrect installation of any parts are the responsibility of the installer. Due to the various applications and fitment options available, the responsibility lies with the user to ensure all mounting points are secure and tight before every trip.

If unsure, consult with your Distributor regarding the operations of our products.

Users are advised to be mindful of the load they are carrying and drive in accordance with road conditions.

## **WARNING**

Always wear appropriate PPE (Personal protection equipment) when fitting our products. Although the mounting kit is designed to be DIY, if you have any doubts or concerns, contact an accredited fitment centre to carry out the work. Alu-Cab will not be liable for any injury to persons, and/or damage to products and/or vehicles.

While Alu-Cab Holdings takes reasonable measures to ensure that the contents of this Website are accurate and complete, Alu-Cab Holdings makes no representations or warranties, whether express or implied, as to the quality, timeliness, operation, integrity, availability or functionality of this Website or as to the accuracy, completeness or reliability of any information on this Website. Alu-Cab Holdings reserves the right to make changes, corrections and/or improvements to the information and to the products and programs described in such information, at any time without notice.

Alu-Cab Holdings will use reasonable endeavours to maintain the availability of the Website, except during scheduled maintenance periods, and reserves the right to discontinue providing the Website or the service or any part thereof with or without notice to you. Any person who accesses this Website or relies on this Website or on the information contained in this Website does so at his or her own risk.

Occasionally, at our discretion, we may include or offer third-party products or services on our website. These third-party sites have separate and independent privacy policies. We therefore have no responsibility or liability for the content and activities of these linked sites. Nonetheless, we seek to protect the integrity of our site and welcome any feedback about these sites.