


|           |            |     |
|-----------|------------|-----|
| ASSY INFO | MASS (kg): |     |
|           | BONDED:    | Y   |
|           | FASTENED:  | Y   |
| FINISH    | WELDED:    |     |
|           | TUMBLED:   |     |
|           | BRUSHED:   |     |
|           | POWDER:    |     |
|           | SPRAY:     |     |
|           | COLOUR:    | N/A |



| ITEM NO. | PART NUMBER      | DESCRIPTION  | Default/QTY. |
|----------|------------------|--|--------------|
| 1        | PANEL ASSY - 011 | PANEL 1 ASSEMBLY   | 1            |
| 2        | PANEL ASSY - 021 | PANEL 2 ASSEMBLY   | 1            |
| 3        | PANEL ASSY - 031 | PANEL 3 ASSEMBLY   | 1            |
| 4        | PANEL ASSY - 041 | PANEL 4 ASSEMBLY   | 1            |
| 5        | BX-ADS           | AWNING DROP SIDE - BOX - 630 X 380 X 330 + CORNER SUPPORTS | 1            |
| 6        | FLEXT-L          | LARGE FLEXI TIES 11mm x 340mm                              | 30           |
| 7        | T-PEG1           | TENT PEG SINGLE ITEM                                       | 20           |

TOLERANCES TO ASSUME  
UNLESS INDICATED OTHERWISE

| NOM DIMENSION | RANGE (mm) | TOLERANCE |
|---------------|------------|-----------|
| 0.50          | - 3.00     | ± 0.10    |
| 3.00          | - 6.00     | ± 0.15    |
| 6.00          | - 30       | ± 0.20    |
| 30            | - 120      | ± 0.30    |
| 120           | - 400      | ± 0.50    |
| 400           | - 1000     | ± 1.00    |
| 1000          | - 1000<    | ± 2.00    |

DESCRIPTION:  
**AWNING SIDES - RHS**

PROJECT:  
**AWN-RHS-SIDE**

DRAWN BY:  
System Administrator


DATE:  
2025-09-11

THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD

SHEET:  
A3

SCALE:  
1:25

SHEET  
1 of 5




DRAWING NO.  
**AWN-RHS-SIDE-GA**

REV  
**00**

|              |                |  |
|--------------|----------------|--|
| PART INFO    | MASS (kg):     |  |
|              | ORDERING:      |  |
| PROCESS INFO | SHEET METAL:   |  |
|              | LASER CUT:     |  |
|              | PUNCHED:       |  |
|              | MACHINED:      |  |
|              | OFF THE SHELF: |  |
|              | CNC ROUTING:   |  |
|              | WELDED:        |  |
| CUT:         |                |  |
| DRILL / TAP: |                |  |
| TUMBLED:     |                |  |
| BRUSHED:     |                |  |
| POWDER:      |                |  |
| SPRAY:       |                |  |
| COLOUR:      | N/A            |  |

6x VELCRO TAGS ON EITHER SIDES

25mm WIDE VELCRO STRIP ON INSIDE




1900mm ZIP ON INSIDE

WEBBING LOOPS ON OUTSIDE

| TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE  |           | MATERIAL DESCRIPTION:             |                     |                                       | MATERIAL THICKNESS (mm): |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
|--|-----------|-----------------------------------|---------------------|---------------------------------------|--------------------------|-------------|--------|-----------|--------|----------|--------|-----------|--------|------------|--------|--------|--------|---|--|--|--------------|-----------------|
| <table border="1"> <thead> <tr> <th>NOM DIMENSION RANGE (mm)</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>0.50 - 3.00</td> <td>± 0.10</td> </tr> <tr> <td>3.00 - 6.00</td> <td>± 0.15</td> </tr> <tr> <td>6.00 - 30</td> <td>± 0.20</td> </tr> <tr> <td>30 - 120</td> <td>± 0.30</td> </tr> <tr> <td>120 - 400</td> <td>± 0.50</td> </tr> <tr> <td>400 - 1000</td> <td>± 1.00</td> </tr> <tr> <td>1000 -</td> <td>± 2.00</td> </tr> </tbody> </table> |           | NOM DIMENSION RANGE (mm)          | TOLERANCE           | 0.50 - 3.00                           | ± 0.10                   | 3.00 - 6.00 | ± 0.15 | 6.00 - 30 | ± 0.20 | 30 - 120 | ± 0.30 | 120 - 400 | ± 0.50 | 400 - 1000 | ± 1.00 | 1000 - | ± 2.00 | DESCRIPTION:<br><b>AWNING SIDES - RHS</b> |  |  | SHEET:<br>A3 | SHEET<br>2 of 5 |
| NOM DIMENSION RANGE (mm)   | TOLERANCE |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| 0.50 - 3.00  | ± 0.10    |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| 3.00 - 6.00  | ± 0.15    |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| 6.00 - 30  | ± 0.20    |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| 30 - 120   | ± 0.30    |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| 120 - 400  | ± 0.50    |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| 400 - 1000   | ± 1.00    |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| 1000 -   | ± 2.00    |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| PROJECT:<br><b>AWN-RHS-SIDE</b>  |           |                                   | DATE:<br>2025-09-11 | DRAWING NO.<br><b>AWN-RHS-SIDE-GA</b> |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
|  |           | DRAWN BY:<br>System Administrator |                     |                                       | REV<br>00                |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |
| THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD   |           |                                   |                     |                                       |                          |             |        |           |        |          |        |           |        |            |        |        |        |   |  |  |              |                 |



|              |                |  |
|--------------|----------------|--|
| PART INFO    | MASS (kg):     |  |
|              | ORDERING:      |  |
| PROCESS INFO | SHEET METAL:   |  |
|              | LASER CUT:     |  |
|              | PUNCHED:       |  |
|              | MACHINED:      |  |
|              | OFF THE SHELF: |  |
|              | CNC ROUTING:   |  |
|              | WELDED:        |  |
|              | CUT:           |  |
|              | DRILL / TAP:   |  |
|              | TUMBLED:       |  |
| BRUSHED:     |                |  |
| POWDER:      |                |  |
| SPRAY:       |                |  |
| COLOUR:      | N/A            |  |




**2000mm ZIP ON THE INSIDE TO CLOSE SIDE UP TO VINYL**

**WEBBING LOOPS ON THE OUTSIDE**

| <b>TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE</b>  |               | <b>MATERIAL DESCRIPTION:</b> |                            | <b>MATERIAL THICKNESS (mm):</b>               |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
|---|---------------|------------------------------|----------------------------|---|-------------------------|--------|------|--------|--------|------|------|--------|----|-------|--------|-----|-------|--------|-----|--------|--------|------|---------|--------|--|--|---------------------|-------------------------|--|
| <table border="1"> <thead> <tr> <th>NOM DIMENSION</th> <th>RANGE (mm)</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>0.50</td> <td>- 3.00</td> <td>± 0.10</td> </tr> <tr> <td>3.00</td> <td>- 6.00</td> <td>± 0.15</td> </tr> <tr> <td>6.00</td> <td>- 30</td> <td>± 0.20</td> </tr> <tr> <td>30</td> <td>- 120</td> <td>± 0.30</td> </tr> <tr> <td>120</td> <td>- 400</td> <td>± 0.50</td> </tr> <tr> <td>400</td> <td>- 1000</td> <td>± 1.00</td> </tr> <tr> <td>1000</td> <td>- 1000&lt;</td> <td>± 2.00</td> </tr> </tbody> </table> | NOM DIMENSION | RANGE (mm)                   | TOLERANCE                  | 0.50  | - 3.00                  | ± 0.10 | 3.00 | - 6.00 | ± 0.15 | 6.00 | - 30 | ± 0.20 | 30 | - 120 | ± 0.30 | 120 | - 400 | ± 0.50 | 400 | - 1000 | ± 1.00 | 1000 | - 1000< | ± 2.00 | <b>DESCRIPTION:</b><br><b>AWNING SIDES - RHS</b> |  | <b>SHEET:</b><br>A3 | <b>SHEET:</b><br>3 of 5 |  |
| NOM DIMENSION   | RANGE (mm)    | TOLERANCE                    |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| 0.50  | - 3.00        | ± 0.10                       |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| 3.00  | - 6.00        | ± 0.15                       |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| 6.00  | - 30          | ± 0.20                       |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| 30  | - 120         | ± 0.30                       |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| 120   | - 400         | ± 0.50                       |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| 400   | - 1000        | ± 1.00                       |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| 1000  | - 1000<       | ± 2.00                       |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| <b>PROJECT:</b><br><b>AWN-RHS-SIDE</b>  |               | <b>SCALE:</b><br>1:17        | <b>DATE:</b><br>2025-09-11 |   | <b>REV</b><br><b>00</b> |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| <b>DRAWN BY:</b><br>System Administrator  |               | <b>DATE:</b><br>2025-09-11   |                            | <b>DRAWING NO.:</b><br><b>AWN-RHS-SIDE-GA</b> |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |
| <small>THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD</small>   |               |                              |                            |   |                         |        |      |        |        |      |      |        |    |       |        |     |       |        |     |        |        |      |         |        |  |  |                     |                         |  |


|              |                |  |
|--------------|----------------|--|
| PART INFO    | MASS (kg):     |  |
|              | ORDERING:      |  |
| PROCESS INFO | SHEET METAL:   |  |
|              | LASER CUT:     |  |
|              | PUNCHED:       |  |
|              | MACHINED:      |  |
|              | OFF THE SHELF: |  |
|              | CNC ROUTING:   |  |
|              | WELDED:        |  |
|              | CUT:           |  |
| DRILL / TAP: |                |  |
| TUMBLED:     |                |  |
| BRUSHED:     |                |  |
| POWDER:      |                |  |
| SPRAY:       |                |  |
| COLOUR:      | N/A            |  |






| TOLERANCES TO ASSUME UNLESS INDICATED OTHERWISE   |           |  |  | MATERIAL DESCRIPTION:                 |           |             |        | MATERIAL THICKNESS (mm): |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
|---|-----------|--|--|---------------------------------------|-----------|-------------|--------|--------------------------|--------|-----------|--------|----------|--------|-----------|--------|------------|--------|--------------|--------|---|--|--|--|--------------|--|-----------------|--|
| <table border="1"> <thead> <tr> <th>NOM DIMENSION RANGE (mm)</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>0.50 - 3.00</td> <td>± 0.10</td> </tr> <tr> <td>3.00 - 6.00</td> <td>± 0.15</td> </tr> <tr> <td>6.00 - 30</td> <td>± 0.20</td> </tr> <tr> <td>30 - 120</td> <td>± 0.30</td> </tr> <tr> <td>120 - 400</td> <td>± 0.50</td> </tr> <tr> <td>400 - 1000</td> <td>± 1.00</td> </tr> <tr> <td>1000 - 1000&lt;</td> <td>± 2.00</td> </tr> </tbody> </table> |           |  |  | NOM DIMENSION RANGE (mm)              | TOLERANCE | 0.50 - 3.00 | ± 0.10 | 3.00 - 6.00              | ± 0.15 | 6.00 - 30 | ± 0.20 | 30 - 120 | ± 0.30 | 120 - 400 | ± 0.50 | 400 - 1000 | ± 1.00 | 1000 - 1000< | ± 2.00 | DESCRIPTION:<br><b>AWNING SIDES - RHS</b> |  |  |  | SHEET:<br>A3 |  | SHEET<br>4 of 5 |  |
| NOM DIMENSION RANGE (mm)  | TOLERANCE |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| 0.50 - 3.00   | ± 0.10    |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| 3.00 - 6.00   | ± 0.15    |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| 6.00 - 30   | ± 0.20    |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| 30 - 120  | ± 0.30    |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| 120 - 400   | ± 0.50    |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| 400 - 1000  | ± 1.00    |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| 1000 - 1000<  | ± 2.00    |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| PROJECT:<br><b>AWN-RHS-SIDE</b>   |           |  |  | DRAWN BY:<br>System Administrator     |           |             |        | DATE:<br>2025-09-11      |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
|   |           |  |  | DRAWING NO.<br><b>AWN-RHS-SIDE-GA</b> |           |             |        | REV<br><b>00</b>         |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |
| THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD  |           |  |  |                                       |           |             |        |                          |        |           |        |          |        |           |        |            |        |              |        |   |  |  |  |              |  |                 |  |



|              |                |  |
|--------------|----------------|--|
| PART INFO    | MASS (kg):     |  |
|              | ORDERING:      |  |
| PROCESS INFO | SHEET METAL:   |  |
|              | LASER CUT:     |  |
|              | PUNCHED:       |  |
|              | MACHINED:      |  |
|              | OFF THE SHELF: |  |
|              | CNC ROUTING:   |  |
|              | WELDED:        |  |
|              | CUT:           |  |
| DRILL / TAP: |                |  |
| TUMBLED:     |                |  |
| BRUSHED:     |                |  |
| POWDER:      |                |  |
| SPRAY:       |                |  |
| COLOUR:      | N/A            |  |



|  |            |                       |   |            |   |   |                 |     |
|--|------------|-----------------------|---|------------|---|---|-----------------|-----|
| TOLERANCES TO ASSUME<br>UNLESS INDICATED OTHERWISE |            | MATERIAL DESCRIPTION: |   |            | MATERIAL THICKNESS (mm):  |   |                 |     |
| NOM DIMENSION                                      | RANGE (mm) | TOLERANCE             | DESCRIPTION:  | SHEET:     | SHEET<br>5 of 5   |  |                 |     |
| 0.50   | - 3.00     | ± 0.10                | AWNING SIDES - RHS  | A3         |   |   |                 |     |
| 3.00   | - 6.00     | ± 0.15                | PROJECT:  | SCALE:     |  |  |                 |     |
| 6.00   | - 30       | ± 0.20                | AWN-RHS-SIDE  | 1:17       |   |   |                 |     |
| 30   | - 120      | ± 0.30                | DRAWN BY:   | DATE:      |   |   | DRAWING NO.     | REV |
| 120  | - 400      | ± 0.50                | System Administrator  | 2025-09-11 |   |   | AWN-RHS-SIDE-GA | 00  |
| 400  | - 1000     | ± 1.00                | THE INFORMATION CONTAINED WITHIN THIS DOCUMENT<br>IS THE INTELLECTUAL PROPERTY OF ALU-CAB (PTY) LTD |            |   |   |                 |     |
| 1000   | - 1000<    | ± 2.00                |   |            |   |   |                 |     |